



ATTACHED PATIO COVER / CARPORT





EXTEND ROOFING MIN.

4" BEYOND EDGE OF FLASHING

B.N.

26 GA. GALV. FLASHING MIN. 4" BEYOND ROOF JOINT

ROLLED/ TORCH-DOWN, OR BUILT-UP ROOF

SLOPE (1/4*/FT)

2X12	16"	24'-0"	
	12"	25'-0"	
* 4X12 DF No. 1 may be used for a 16'-0" garage opening in one-story patio or carport structures.			

16"

12

24"

2X ROOF FRAMING

2X BLK'G W/ FRAMING CLIPS

ROOFING (SEE TYPE V SHEET FOR MIN. REQ'D SLOPES)

G.I. DRIP FLASHING

1X T&G BOARDS W/ 2-8d NAILS PER BOARD OR 1/2* CDX PLY. W/8d @ 6,6,12

ROOF FELT- LAP O/ FLASHING

Type V Construction is a classification of buildings by construction materials and methods. It is the least restrictive permitted by the Los Angeles County Building Code and includes light wood-frame construction This sheet is for information and reference only and is not a substitute for accurate drawings prepared for the proposed construction project.

20'-9' 23'-11'

19'-7"

2X8

2X10

16"

12"

24"

16"

12"

2X10

23'-0"

25'-8"

22'-11'

26'-0"

26'-0"